

Technical sheet :

BUCKET 4 IN 1




Benefits

- Versatile and very robust bucket.
- Time-saving attachment is a real swiss knife.
- Designed for executing different works :
 - > Loading and unloading operations
 - > Pushing materials
 - > Levelling grounds
 - > Backfilling trenches
 - > Object clamping

Technical characteristics

- 4 in 1 bucket suitable for handling materials with a density $\leq 2,1$.
- Rear bolted counter blade dedicated to levelling.
- Claws fitted on the mobile part's back side help handling cylindrical objects such as poles, tubes etc.
- Reinforced structure (base, blade and sides).
- Reversible teeth.

Capacities		CB4x1 400L / 1500	CB4x1 700L / 1950	CB4x1 850L / 2300	CB4x1 900L / 2450
Heaped Capacity (l)		402	700	850	899
Struck capacity (l)		313	524	628	672
Weight and dimensions					
Overall height (mm)	h17	890	890	890	890
Width (mm)		1525	1950	2300	2450
Length (mm)		1106	1107	1107	1110
Depth (mm)	p5	1002	887	887	889
Overall weight (kg)		540	640	735	765
Working Parameters					
Machine Equipment		Hydraulic line	Hydraulic line	Hydraulic line	Hydraulic line
Teeth		4	5	6	7
Opening minimum (mm)		1	-	-	-
Machines compatibility		CB4x1 400L / 1500	CB4x1 700L / 1950	CB4x1 850L / 2300	CB4x1 900L / 2450
Reference number		52551750	751402	751401	751465
Reference number TSDL		-	-	52000367	52000368
Skid Steer Carriage reference		52000785	-	-	-
MLT 420 - 60 H		X	-	-	-
MLT 625 - 75 H		-	X	-	-
MLT 845-100 H		-	-	X	X
MLT 845-120		-	-	X	X
MLT-X 625 - 75 H		-	X	-	-
MLT-X 735 T LSU		-	-	-	X
MLT-X 845-120		-	-	X	X
MLT-X 845-120 H		-	-	X	X
MT 420 H		X	-	-	-
MT 625 H		-	X	-	-
MT 625 HA		-	X	-	-
MT 733 Easy		-	-	-	X
MT 933 Easy		-	-	-	X
MT 1135		-	-	-	X
MT 1135 H easy ST5		-	-	-	X
MT 1135 HA Easy ST5		-	-	-	X
MT 1135 easy ST5		-	-	-	X
MT 1335		-	-	-	X
MT 1335 H easy ST5		-	-	-	X
MT 1335 easy ST5		-	-	-	X
MT 1440		-	-	X	X
MT 1440 A		-	-	X	X
MT 1440 HA		-	-	X	X
MT 1440 easy ST5		-	-	-	X
MT 1840		-	-	X	X
MT 1840 A		-	-	X	X
MT 1840 HA		-	-	X	X
MT 1840 easy ST5		-	-	-	X
MT-X 625 H		-	X	-	-
MT-X 733		-	-	-	X
MT-X 1440		-	-	X	X
MT-X 1440 A		-	-	X	X
MT-X 1840		-	-	X	X
MT-X 1840 A		-	-	X	X



Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes